


## **OLEA**® COMPOSER



Requirements

## **OLEA® COMPOSER**



# Seamless development and calibration framework of tools, software and evaluation boards for OLEA® FPCU

OLEA® COMPOSER supports:

- All stages of V design cycle: MiL, SiL and HiL
- Most popular design, simulation, debug and validation tooling
- Automatic C and HDL code generation for OLEA® FPCU
- Real-time variables / parameters debug and calibration in CPU and/or AMEC® FLU

#### Changing developers' life

OLEA® COMPOSER orchestrates a wide set of leading development tools all along the V-Model design cycle and accelerates development on OLEA® FPCU.

From Model-in-the-Loop (MiL), Software-in-the-Loop (SiL) down to Hardware-in-the-Loop (HiL), developers drastically reduce development, validation and calibration time while significantly improving performances using the Hardware/Software split provided in the framework.

OLEA® COMPOSER includes the following products:

**OLEA® COMPOSER – T222 Target Framework:** Framework driving the model-based development steps from the theoretical model to the FPCU target porting.

OLEA® COMPOSER - AGILIS Precision RTL: Mentor Graphics's based RTL synthesis tool combined with AGILIS P&R.


OLEA® COMPOSER - T222 Virtual Prototyping Model: System C model of OLEA® T222 FPCU for SiL simulation

**OLEA® COMPOSER – T222 AMEC RTL Simulation Models:** RTL model of AMEC® FLU interface of OLEA® FPCU for cycle accurate simulation and in-depth debug and tuning.

OLEA® COMPOSER - T222 MCAL: AUTOSAR 4.3 Compliant drivers for OLEA® FPCU

OLEA COMPOSER - T222 Starter Kit: OLEA® T222 FPCU Board with software design kit and Flash downloader

**OLEA® COMPOSER – T222 Inverter Starter Kit:** OLEA® T222 FPCU Board + Inverter Power Board + 24-Volt motor for a rapid inverter project jump start.




Requirements Tuning & validation Gap analysis Reports & Concept/Ref Validation MIIs Target Framework Functional tuning OLEA® Target Test bench Fast CPU+FLU MILs Validation Prototyping & Calibration AMEC RTL S/W code .C et .h Simulation FLU VHDL/ VERILOG HIL validation HIL Validation report SIL CAN, bootloader, Protot diag, BI/BO and Scheduling SIL validation Eguivalen SIL Validation report Integration with BSW Checkin Binary iles .elf .flu and file .a2l

 $\mathsf{OLEA}^{\$}$  COMPOSER in  $\mathsf{OLEA}^{\$}$  FPCU development flow

OLEA® COMPOSER in V design cycle

## Model in the Loop

**OLEA® COMPOSER - T222 Target Framework** is a driven and instrumented framework using OLEA® LIB Target library for fast and seamless MATLAB Simulink reference model porting to OLEA® T222 FPCU with pre-defined CPU / AMEC® communication protocol. It allows simultaneous C and HDL automatic code generation from MATLAB/Simulink. The generated code is directly usable as an AUTOSAR Complex Device Driver.



- All AMEC<sup>®</sup> FLU hardware resources available as target models (e.g ADC, PWM, Timers, CWG, PIO, QUADRA, CAPTURE)
- Automatic generation of the CPU / AMEC communication
- Automatic variables and parameters instrumentation for measurement and calibration on hardware targets

## Software in the Loop

OLEA® COMPOSER - T222 Virtual Prototype VDK and OLEA® COMPOSER - T222 AMEC RTL Simulation Models are simulation environments enabling fast and accurate software and hardware validations.

#### **Accurate Virtual Prototyping**

- Transaction / Memory Map
- Programming

#### Software development/validation

- Boot / OS / AUTOSAR BSW
- Complex Device Driver
- Co-simulation with SIMULINK

#### VDK ECU System Simulator

- Early software development
- H/W & S/W split & correlation
- Fast simulation and debug



Mentor Graphics's ModelSIM view

#### Cycle Accurate AMEC® RTL Model

- AMEC
- FLU I/F

#### **RTL Simulation**

- Reference tests bench
- Including CPU & DMA access
- FLU design integration validation
- Signal debugging

## Hardware in the Loop

Synopsys's VDK view

#### OLEA® COMPOSER T222 Starter Kit

Complete package which includes OLEA® T222 FPCU based development boards, software and documentation for quick application design. Available with the 176 pins or 100 pins packages versions.



#### OLEA® COMPOSER T222 HVIC Starter Kit

A complete package which includes OLEA® T222 FPCU based development boards, software and documentation for quick application design. Available with the 176 pins or 100 pins packages versions of OLEA® T222 FPCU.

The kit is suitable for HV inverter and e-motor control application and can be delivered with OLEA® APP INVERTER and OLEA® APP INVERTER HE for evaluation.





www.silicon-mobility.com sales@silicon-mobility.com 535 Route des Lucioles Les Aqueducs – Bâtiment 2 06560 Sophia Antipolis

**Legal Disclaimer:** The information given in this Brief shall in no event be regarded as a guarantee of conditions or characteristics. With respect to any examples or hints given herein, any typical values stated herein and/or any information regarding the application of the device, Silicon Mobility hereby disclaims any and all warranties and liabilities of any kind, including without limitation, warranties of non-infringement of intellectual property rights of any third party.

©2021 Silicon Mobility. All trademarks are property of their respective owner